

WHAT IS CLAIMED IS:

1. A registering method for registering a communication apparatus which has not yet been registered, comprising:

5 a restriction step for restricting a transmission of a signal transmitted from a communication apparatus which has already been registered in a registration mode for registering the communication apparatus which has not yet been registered.

10 2. A registering method as claimed in claim 1 wherein:

said restriction step restricts a transmission of a signal used to produce an outgoing call from the communication apparatus which has already been registered in said registration mode.

15 3. A registering method as claimed in claim 1 wherein:

20 said restriction step restricts the transmission of the signal from the communication apparatus which has already been registered in response to a base station signal which is transmitted by a base station in the registration mode.

25 4. A registering method as claimed in claim 1 wherein:

Sub
331

RECEIVED

in said restriction step, a base station transmits a base station signal for restricting the transmission of the signal from the communication apparatus which has already been registered in the registration mode.

5

5. A registering method as claimed in claim 1 wherein:

in said restriction step, a base station transmits any one of a first base station signal and a second base station depending on whether or not the registration mode is set; said first base station signal is used to restrict the transmission of the signal from the communication apparatus which has already been registered; and said second base station signal is used not to restrict the transmission of the signal from the communication apparatus which has already been registered.

10

15

6. A registering method as claimed in claim 1 wherein:

20

in said restriction step, the communication apparatus which has already been registered sets a restriction mode for restricting the transmission of the signal in response to a base station signal which is transmitted by a base station in the registration mode.

25

B3
Cont'

RECEIVED

7. A registering method as claimed in claim 1 wherein:

in said restriction step, the communication apparatus which has already been registered restricts the transmission of the signal in response to a base station signal which is transmitted by a base station in accordance with an instruction for setting the registration mode issued from a host which is connected via a public line.

8. A registering method as claimed in claim 1 wherein:

said signal, the transmission of which is restricted in said restriction step, is transmitted upon releasing of the registration mode.

9. A communication system in which a base station transmits a base station signal, and a communication apparatus which has not yet been registered performs a communication for registration between the communication apparatus and the base station, wherein:

a communication apparatus which has already been registered restricts a transmission of a signal in response to a base station signal which is transmitted from the base station in a mode for registering the communication apparatus which has not yet been registered.

B3
Cont.

RECEIVED

10. A communication system as claimed in claim 9 wherein:

BI
Cont

5 a base station transmits any one of a first base station signal and a second base station depending on whether or not the registration mode is set; said first base station signal is used to restrict the transmission of the signal from the communication apparatus which has already been registered; and said

10 second base station signal is used not to restrict the transmission of the signal from the communication apparatus which has already been registered.

11. A communication system as claimed in claim 9 wherein:

15 the communication apparatus which has already been registered restricts the transmission of the signal in response to a base station signal which is transmitted by a base station in accordance with an instruction for setting the registration mode issued from a host which

20 is connected via a public line.

12. A base station comprising:

communication means for performing a communication for a registration between the communication means and

25 a communication apparatus which has not yet been registered; and

transmission means for transmitting a base station

signal used to restrict a transmission of a signal from a communication apparatus which has already been registered in a mode for registering the communication apparatus which has not yet been registered.

5

13. A base station as claimed in claim 12 wherein:

10 said transmission means transmits any one of a first base station signal and a second base station depending on whether or not the registration mode is set; said first base station signal is used to restrict the transmission of the signal from the communication apparatus which has already been registered; and said second base station signal is used not to restrict the transmission of the signal from the communication apparatus which has already been registered.

15

14. A base station as claimed in claim 12 wherein:

20

said transmission means transmits a base station signal which restricts the transmission of the signal from the communication apparatus which has already been registered in accordance with an instruction for setting the registration mode issued from a host which is connected via a public line.

25

15. A communication apparatus comprising:

BI
Cont

TELEPHONE

[illegible]

5
10

10

15

20

25

[illegible]

10

15

20

25

a second program step for restricting a

transmission of a signal when a registration has
already been completed in response to a base station
signal transmitted from a base station in a mode for
registering a communication apparatus which has not yet
5 been registered.

20. A communication system comprising a
communication apparatus and a base station, wherein:
said base station is connected via a public line
10 to a host, and transmits a base station signal in
response to a request issued from the host; and
said communication apparatus restricts a
transmission of a signal in response to a base station
signal.

15 21. A communication system as claimed in claim 20
wherein:
said base station selects any one of a first base
station signal and a second base station signal; said
20 first base station signal restricts a transmission of a
signal from a communication apparatus; and said second
base station signal does not restrict the transmission
of the signal from the communication apparatus.

25 22. A base station comprising:
reception means for receiving a request issued
from a host connected via a public line to said base

B1
Cont

Patent Office

1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385</
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	--------

10

15

20

25

a transmission step for transmitting a base station signal for restricting a transmission of a signal from a communication apparatus in response to the request issued from said host.

25. A signal transmission restricting method as

claimed in claim 24 wherein:

5 said transmission step selects any one of a first
base station signal and a second base station signal;
said first base station signal restricts a transmission
of a signal from a communication apparatus; and said
second base station signal does not restrict the
transmission of the signal from the communication
apparatus.

10 26. A signal transmission restricting program, or
a storage medium for storing therein said program,
comprising:

 a first program step for receiving a request
issued from a host connected via a public line; and

15 a second program step for transmitting a base
station signal for restricting a transmission of a
signal from a communication apparatus in response to
said request issued from the host.

20 27. A signal transmission restricting program, or
a storage medium as claimed in claim 26 wherein:

 said second program step selects any one of a
first base station signal and a second base station
signal; said first base station signal restricts a
25 transmission of a signal from a communication
apparatus; and said second base station signal does not
restrict the transmission of the signal from the
communication apparatus.

B1
Circ

TELEPHONE